

Witherspoon Janice

From: Raines, Toney <Toney.Raines@fema.dhs.gov>
Sent: Sunday, April 05, 2020 8:36 AM
To: Richy Brad; Luna Teresa
Subject: Fwd: URGENT FW: Response to RFI on Battelle Production Schedule
Attachments: BATTELLE CCDS Quicklook.pptx; FDA EUA - Battelle Decon System.pdf; COVID-19_Battelle Decon Capability.pdf

Brad,
See below.
I know you and Ben have spoken about this type of system.
Cost is 1 million per unit
75/25 cost share.

Is the state interested in getting one.

Thanks

Toney Raines
Operations Branch Director
EM-3467-ID

From: Biasco, Lon
Sent: Sunday, April 5, 2020 8:24 AM
To: Benson, Shannon; FEMA-R10-Idaho State FIT; FEMA-R10-Oregon State FIT; FEMA-R10-Washington State FIT; Forgit, Robert; Fulton, John; Goudreau, Laura; Raines, Toney; Valley, Paul
Cc: FEMA-R10-COVID-19-OSC; FEMA-R10-RRCC-Planning Section; O'Hare, Michael
Subject: URGENT FW: Response to RFI on Battelle Production Schedule
IMAT-A,
Please see this urgent task and work with your state UCG to determine if they want the Battelle N95 Reutilization system. We have RRFs from GA, FL, and CA. Cost is \$1M per system. It cleans 80k vents/day so very quick return on investment.
Please respond to OPS and Plans with your input ASAP. Thanks
Lon Biasco,
Region X COVID Response
Deputy Federal Coordinating Officer
Director Response Division
FEMA Region X
Office 425.487.4570
Cell: 425.457.6963
Rebecca Dance
FEMA Region X – Response Program Assistant
Mission Assignment Specialist
Desk: 425.487.2151

From: Roy, William
Sent: Sunday, April 5, 2020 7:20 AM
To: Barlow, Janice ; Depalo, Lee ; Dragani, Nancy ; Dugan, Moises ; Fenton, Robert ; Fields, Kathy ; Ford, Paul ; Joseph, James K (FEMA) ; Littrell, Tammy ; Maykovich, Vincent ; McElhinney, Dan ; O'Hare, Michael ; Passey, David ; Robinson,

Tony ; Samaan, Robert ; Sligh, Kevin M ; Szczech, Gracia ; Taylor, Paul ; Tierney, MaryAnn ; Von Essen, Thomas ; Webster, Russell

Cc: Penn, Damon ; Dozor, Joshua ; Dorko, Jeffrey ; FEMA-NRCC-rssc ; ASPR Region 1 (HHS/ASPR/OEM) ; ASPR Region 10 (HHS/ASPR) ; ASPR Region 2 (HHS/ASPR/OEM) ; ASPR Region 3 (HHS/ASPR/OEM) ; ASPR Region 4 (HHS/ASPR/OEM) ; ASPR Region 5 (HHS/ASPR/OEM) ; ASPR Region 7 (HHS/ASPR/OEM) ; ASPR Region 8 (HHS/ASPR) ; ASPR Region 9 (HHS/ASPR) ; Horahan, Kevin (OS/ASPR/EMMO) ; Imbriale, Samuel (OS/ASPR/SIIM) ; Greene, Jonathan (OS/ASPR/EMMO) ; Best, Dan ; Biasco, Lon ; Bordelon, Denise ; Cho, James ; Clark, KennethG ; Gallagher, Mark ; Knapp, Nathan ; Moore, Jkevin ; Preusse, Paul ; Toro, Manny J ; Wind, Jason ; Wolslayer, Kelly

Subject: FW: Response to RFI on Battelle Production Schedule

RA's,

We are submitting a request to DLA for the Battelle N95 Reutilization system. We have RRFs from GA, FL, and CA.

Cost is \$1M per system. It cleans 80k vents/day so very quick return on investment. We need to identify where the first twenty-five will go. Would ask that you engage your states to see if they want to be considered for the system. We have a short turn on this, so would be grateful for your responses.

V/R

Will

william.f.roy@fema.dhs.gov

Office: 202-212-3321

Cell: 202-716-4361

From: FEMA-NRCC-rssc

Sent: Sunday, April 5, 2020 8:47 AM

To: Roy, William ; Farmer, Robert

Cc: Ignacio, Joselito ; Ransom, Darrell ; FEMA-NRCC-rcbd ; FEMA-NRCC-rssc

Subject: FW: Response to RFI on Battelle Production Schedule

Team,

New revised Battelle production schedule for N95 Re-use systems

Will need recommended allocation of initial 25 systems from UCG as they will roll out in in next 27 days.

We have initial allocation for the first 5 off production to- CA/NJ/MI/FL/GA FEMAs initial requirement is 60- Systems which should be delivered over about 55 days.

Battelle will have 10 systems ready to move within 7 days upon sign of contract.

ALCON,

According to the production Performance Work Statement (PWS) provided by Battelle the following schedule has been provided, but it is contingent on actually receiving a funded Order.

- 10 each existing systems and in-production can be provided seven (7) days after Contract Award. – expect award today 4/5 or Mon 4/6

- 15 each additional systems can be provided 20 days after Contract Award and subsequent delivery of the initial 10 units.

- 25 each systems (full scale production) can be provided 20 days after Contract Award and subsequent delivery of the initial 10 each and 15 each.

- 25 each systems can then be provided every 20 days (will need 8 days of this production to get FEMA's final 10 in production of the 60)

R/

Darrell ransom

NRCC RSSC

From: FEMA-NRCC-osgs

Sent: Sunday, April 5, 2020 8:32 AM

To: FEMA-NRCC-rssc

Cc: FEMA-NRCC-rssd ; FEMA-NRCC-naul ; FEMA-NRCC-rcbd

Subject: FW: Response to RFI on Battelle Production Schedule

Mr. Ransom,

Please see the Battelle CCDS production schedule provided by DLA.

Thanks

Keith Williams
NRCC-OSGS
202-212-2405

From: FEMA-NRCC-dla
Sent: Sunday, April 5, 2020 8:04 AM
To: FEMA-NRCC-osgs
Cc: Erkins, Phyllis R CIV DLA LOGISTICS OPERATIONS (USA) ; Mustafaa, Rhonda C CIV DLA LOGISTICS OPERATIONS (USA)
Subject: FW: Response to RFI on Battelle Production Schedule
Please see production schedule below.
V/r,
Ray
DLA FEMA NRCC
Ray Woods
Mobile: 703-223-1905
Mail to: Ray.woods@dla.mil

From: O'Connell, Dorothy J CIV DLA TROOP SUPPORT (USA)
Sent: Sunday, April 5, 2020 7:55 AM
To: FEMA-NRCC-dla
Cc: Erkins, Phyllis R CIV DLA LOGISTICS OPERATIONS (USA) ; Mustafaa, Rhonda C CIV DLA LOGISTICS OPERATIONS (USA)
Subject: Response to RFI on Battelle Production Schedule
Phyllis
Below is the response that is being sent to HQ ASOC to close the RFI.
We will have 10 systems ready to move within 7 days. Please start the DO to provide delivery locations.
ALCON,
According to the production Performance Work Statement (PWS) provided by Battelle the following schedule has been provided, but it is contingent on actually receiving a funded Order.
- 10 each existing systems and in-production can be provided seven (7) days after Contract Award.
- 15 each additional systems can be provided 20 days after Contract Award and subsequent delivery of the initial 10 units.
- 25 each systems (full scale production) can be provided 20 days after Contract Award and subsequent delivery of the initial 10 each and 15 each.
- 25 each systems can then be provided every 20 days
Dorothy O'Connell
Customer Support Liaison
Whole of Government
DLATS J3/5
215-737-8169
Cell: 215-847-5500
NIPR: Dorothy.Oconnell@dla.mil
SIPR: dorothy.j.oconnell2.civ@mail.smil.mil

Witherspoon Janice

From: Richy Brad
Sent: Tuesday, April 14, 2020 2:50 PM
To: Louis Hougaard
Subject: Battelle PPE Decon - Idaho Office of Emergency Management
Attachments: HCP - Fact Sheet - Battelle Face Masks - 03.29.2020 - 615pm.pdf; Instructions for Healthcare Facilities - 03.29.2020 - 615pm revision.pdf; Instructions for Healthcare Personnel - 03.29.2020 - 615pm revision.pdf; Battelle Emergency Services Agreement 3.21.20.doc; 729_Battelle CCDS [Final].pdf

Louis,

I wanted to share a few attachments we have received that describe the Battelle decontamination service. A few things to note, the system can decontaminate thousands N95 masks up to 20 times with no degradation of filter performance (usually discarded before 20X use), recent update on pricing is roughly \$3.25/mask (not validated), and it will require a signed agreement for all the hospitals. Lots of information to consider, and I do have a conference call today with the lab to discuss a location.

v/r

Brad

Witherspoon Janice

From: Richy Brad
Sent: Thursday, April 16, 2020 11:51 AM
To: Raines, Toney
Subject: FW: Battelle PPE Decon - Idaho Office of Emergency Management

FYI

From: Kris Hamlet
Sent: Thursday, April 16, 2020 11:46 AM
To: Bruno, Delila
Cc: Richy Brad ; lynn.budd@wyo.gov
Subject: Re: Battelle PPE Decon - Idaho Office of Emergency Management

Thanks Brad and Delila! We have a call with Batelle tomorrow. Have either of you heard that you are "on the list" to get a unit? I think we would be fine to share one Regionally if we can figure out the Logistics of it all.

Hope you are all doing well!. We had another 4.2 aftershock this morning just to keep things interesting and to keep everyone on edge.

Best,

Kris

Kris J. Hamlet, MBA, UCEM

Director

Utah Department of Public Safety

Division of Emergency Management

Office: 801-538-9553

Cell: 801-243-0147

Fax: 801-538-3773



On Thu, Apr 16, 2020 at 11:19 AM Bruno, Delila <dbruno@mt.gov> wrote:

Thanks Brad. We have one requested as well and would offer it as a regional resource. It would be great if we have something like this in the neighborhood.

v/r

Delila

406-324-4766

From: Richy Brad <brichy@imd.idaho.gov>

Sent: Thursday, April 16, 2020 10:56 AM

To: Bruno, Delila <dbruno@mt.gov>; krishamlet@utah.gov; lynn.budd@wyo.gov

Subject: [EXTERNAL] FW: Battelle PPE Decon - Idaho Office of Emergency Management

Good morning all,

I wanted to share some detailed information regarding a Battelle System that the Governor has requested, and more specifically requested as regional system that can be shared by ID, MT, UT, and WY. I'm in a task-force meeting now and will follow-up later.

v/r

Brad

Witherspoon Janice

From: Richy Brad
Sent: Thursday, April 16, 2020 11:55 AM
To: Raines, Toney
Subject: FW: Battelle PPE Decon - Idaho Office of Emergency Management

From: Lynn Budd
Sent: Thursday, April 16, 2020 11:50 AM
To: Kris Hamlet
Cc: Bruno, Delila ; Richy Brad
Subject: Re: Battelle PPE Decon - Idaho Office of Emergency Management

Thanks Brad! I pushed the info that we were collaborating with the 4 states and two regions to my FIT to share to hopefully get them to pay attention to our partnership. We have not requested one, but would love to share with whoever gets one!

Lynn Budd

Director, Homeland Security Advisor
Wyoming Office of Homeland Security
5500 Bishop Blvd
Cheyenne, WY 82002
O- 307-777-8511
C- 307-275-2490
lynn.budd@wyo.gov

THE CODE OF THE WEST

Live each day with courage.
Take pride in your work.
Always finish what you start.
Do what has to be done.
Be tough, but fair.
When you make a promise, keep it.
Talk less and say more.
Remember that some things aren't for sale.
Know where to draw the line.

On Thu, Apr 16, 2020 at 11:47 AM Kris Hamlet <krishamlet@utah.gov> wrote:

Thanks Brad and Delila! We have a call with Batelle tomorrow. Have either of you heard that you are "on the list" to get a unit? I think we would be fine to share one Regionally if we can figure out the Logistics of it all.

Hope you are all doing well!. We had another 4.2 aftershock this morning just to keep things interesting and to keep everyone on edge.

Best,

Kris

Kris J. Hamlet, MBA, UCEM

Director

Utah Department of Public Safety

Division of Emergency Management

Office: 801-538-9553

Cell: 801-243-0147

Fax: 801-538-3773



On Thu, Apr 16, 2020 at 11:19 AM Bruno, Delila <dbruno@mt.gov> wrote:

Thanks Brad. We have one requested as well and would offer it as a regional resource. It would be great if we have something like this in the neighborhood.

v/r

Delila

406-324-4766

From: Richy Brad <brichy@imd.idaho.gov>

Sent: Thursday, April 16, 2020 10:56 AM

To: Bruno, Delila <dbruno@mt.gov>; krishamlet@utah.gov; lynn.budd@wyo.gov

Subject: [EXTERNAL] FW: Battelle PPE Decon - Idaho Office of Emergency Management

Good morning all,

I wanted to share some detailed information regarding a Battelle System that the Governor has requested, and more specifically requested as regional system that can be shared by ID, MT, UT, and WY. I'm in a task-force meeting now and will follow-up later.

v/r

Brad

E-Mail to and from me, in connection with the transaction of public business, is subject to the Wyoming Public Records Act and may be disclosed to third parties.

Witherspoon Janice

From: Richy Brad
Sent: Monday, April 20, 2020 9:04 AM
To: Raines, Toney
Subject: RE: Battelle Systems

Thanks Tony, we just finished our coordination call with Battelle, and DAL. Brad

From: Raines, Toney
Sent: Monday, April 20, 2020 9:00 AM
To: Richy Brad ; Luna Teresa
Subject: FW: Battelle Systems
Importance: High

See Below.

Toney Raines
Operations Branch Director
EM-3446-AK
DR-4533-AK
EM-3467-ID
DR-4534-ID
Field Leadership Cadre | FEMA
C: 425-318-0860
toney.raines@fema.dhs.gov

From: Biasco, Lon <Lon.Biasco@fema.dhs.gov>
Sent: Monday, April 20, 2020 8:57 AM
To: FEMA-R10-COVID-19-OSC <FEMA-R10-COVID-19-OSC@fema.dhs.gov>; FEMA-R10-RRCC-Planning Section <FEMA-R10-RRCC-Planning-Section@FEMA.dhs.gov>; Benson, Shannon <Shannon.Benson@fema.dhs.gov>; FEMA-R10-Idaho State FIT <FEMA-R10-IdahoStateFIT@fema.dhs.gov>; FEMA-R10-Oregon State FIT <FEMA-R10-OregonStateFIT@fema.dhs.gov>; FEMA-R10-Washington State FIT <FEMA-R10-Washington-State-FIT@fema.dhs.gov>; Forgit, Robert <Robert.Forgit@fema.dhs.gov>; Fulton, John <John.Fulton@fema.dhs.gov>; Herbert, William <William.Herbert@fema.dhs.gov>; Goudreau, Laura <Laura.Goudreau@fema.dhs.gov>; Raines, Toney <Toney.Raines@fema.dhs.gov>; Rice, Toby <Toby.Rice@fema.dhs.gov>; Valley, Paul <paul.valley@fema.dhs.gov>
Subject: Battelle Systems

Good morning,

Both Idaho and Oregon are to receive their units in the 3rd wave. Currently production of the 3rd wave is to be completed by Saturday, April 25th. The shipment should occur soon after. Please ensure that the state has identified the appropriate location. Currently the locations are identified below. Please advise your state of the expected dates for completion.
Thanks

34	Wilsonville (city will change)	OR	10	2592-171611	Wave 3 (27-36)
36	Boise (city will change)	ID	10	2637-194810	Wave 3 (27-36)

Lon Biasco,

Region X COVID Response
Deputy Federal Coordinating Officer

Director Response Division
FEMA Region X
Office 425.487.4570
Cell: 425.457.6963

Rebecca Dance
FEMA Region X – Response Program Assistant
Mission Assignment Specialist
Desk: 425.487.2151